



Rinnai®

THE RINNAI VALUE SERIES REMARKABLE CONVENIENCE. EXTRAORDINARY VALUE. EVEN MORE OPTIONS.

RESIDENTIAL TANKLESS WATER HEATERS

Rinnai ... The Affordable Way to Heat Water

Enjoy the comfort and convenience of continuous hot water at a lower price. Rinnai has expanded the Value Series by adding and upgrading models at the 150,000 and 180,000 BTU levels to suit medium- and smaller-sized homes. Get the reliability and durability only Rinnai can offer, while saving energy and precious floor space.

Features and Benefits of the Value Series

- Two new models: V75i/e and V65i/e
- Available in three models for interior or exterior installation
- ENERGY STAR® qualified
- Energy Factor of .82 for both gas types
- Certified for installation in manufactured (mobile) homes
- Temperature range with controllers: 98°F - 140°F

Additional Features of the V75i/e and V65i/e

- Enhanced scale detection lessens possibility of serious, long-term damage to unit
- Leak detection shuts off water to unit to limit property damage
- Temperature lock prevents accidental or unauthorized changes to water temperature
- Satisfies SCAQMD with requirements of less than 14 ng/J for ultra-low NOx emissions

Rinnai Value Series...The Perfect Combination of Comfort and Value

- **As Much Hot Water as You Want for as Long as You Need.**
Enjoy continuous hot water delivered simultaneously to multiple plumbing and appliance demands.
- **Lower Your Energy Costs.** Heat water only when you need it, and eliminate the expense of continually reheating water in a holding tank.
- **Free Up Valuable Living Space.** Gain as much as 16 square feet of living space in your home when you replace your tank-style water heater with a tankless unit.
- **Perfect for New Homes or Remodeling.** Several models and accessories available to adapt to different installations. Consult your Rinnai installer for your project.
- **Enjoy Peace of Mind.** Rinnai Tankless Water Heaters have a typical life of up to 20 years, which is estimated to be twice the life of a standard tank style unit.*

* Based on DOE ENERGY STAR® lifecycle estimates, tankless water heaters can last up to twice as long as traditional tank units.



V75i



RINNAI VALUE SERIES: A PERFECT FIT FOR YOUR SMALL TO MID-SIZED HOME.



Exterior model

Interior model

Value Series Limited Warranty

Standard Limited Warranty (some restrictions apply) – Residential Only: 10 year heat exchanger, (heat exchanger warranty increases to 12 years when the unit is properly installed with an isolation valve kit*), 5 years for other components and parts, 1 year labor.

www.rinnai.us/warranty


* Isolation Valve Kit available for purchase directly from Rinnai or your local distributor. For complete warranty details, visit www.rinnai.us/warranty or call 1-800-621-9419.



WHOLE-HOUSE SIMULTANEOUS USE

Model	Ground Water Temperature	
	Summer Season – 70° F	Winter Season – 50° F
V53e 1 to 1.5 bath		
V65i/e 2.5 bath		
V75i/e 2.5 bath		

Customer has the option of using the following appliances instead of a shower: residential grade clothes washer or dishwashers. Shower heads assumed to be 2.5 GPM mixed flow rate or less. If custom shower fixtures, i.e. body sprays, large rain heads, or tubs over 60 gallons in capacity are used, please contact Rinnai.



Specifications	V53e (VA)	V65i/e (VC)	V75i/e (VC)
Dimensions	14" W x 21" H x 7" D	14" W x 23" H x 9" D	14" W x 23" H x 9" D
Case Color	White		
Weight	34 lbs.	Interior: 45.6 lbs.; Exterior: 43.6 lbs.	
Ignition	Direct electronic		
Hot Water Capacity	0.6 to 5.3 GPM	0.26 to 6.6 GPM	0.26 to 7.5 GPM
Min. Activation Rate	0.6 GPM	0.4 GPM	0.4 GPM
Min/Max Gas Rate (BTU Input)	NG: 19,000 – 120,000 LP: 20,200 – 120,000	10,300 – 150,000	10,300 – 180,000
Energy Factor	.82 for NG or LP		
ENERGY STAR®	Yes		
Gas Type	Natural Gas (NG) or Propane (LP)		
Temperature Settings	120°F, 140°F**	98°F - 140°F	98°F - 140°F
Type of Controller	Status Monitor	MC-91-2	MC-91-2
Ultra Low NOx	No	Yes	Yes

** Can only be selected by installer. Default temp. setting is 120°F.

Optional Accessories

- MC-91-2-W Digital Controller ("W" refers to model color "white")
- RGB-20U-W Recess Box for V53e ; RGB-25U-C for V65e/V75e (for flush-mounting on exterior wall)
- PCDO3-EWV (V65/V75) or PC-20-W (V53e) Pipe Cover (for concealing plumbing and gas lines)
- EZConnect® cable for connecting two V75/V65 units; MSB for more than two units
- REU-PVA-4 – Pressure activated valves for manifolding 2 or more V53e units.
- Isolation Valve Kit

Rinnai is continually updating and improving products; therefore, specifications are subject to change without prior notice. Local, state, provincial and federal codes must be adhered to prior to and upon installation.

FOR MORE INFORMATION ON RINNAI PRODUCTS

ADDITIONAL RINNAI LITERATURE AVAILABLE

NC BASED & FAMILY OWNED SINCE 1930

Advance 336.998.9748

Boone 828.262.3637

Elkin 336.835.3607

Millers Creek 336.973.2411

Mills River 828.891.7371

Pilot Mountain 336.368.3678

Sparta 336.372.4443

Statesville 704.873.4747

Weaverville 828.645.1007

fireplaces . heaters . grills . outdoor living
tankless hot water . boilers . awnings

APPALACHIAN ENERGY
ALL THE ENERGY YOU NEED

www.gbenergy.com



Rinnai America Corporation

103 International Drive
Peachtree City, GA 30269

Toll Free 1-800-621-9419

Phone: 678-829-1700 • Fax: 678-364-8643

Visit our Website www.rinnai.us

E-mail: marketing@rinnai.us

Rinnai®





Rinnai®

THE RINNAI VALUE SERIES REMARKABLE CONVENIENCE. EXTRAORDINARY VALUE. EVEN MORE OPTIONS.

RESIDENTIAL TANKLESS WATER HEATERS

Rinnai ... The Affordable Way to Heat Water

Enjoy the comfort and convenience of continuous hot water at a lower price. Rinnai has expanded the Value Series by adding and upgrading models at the 150,000 and 180,000 BTU levels to suit medium- and smaller-sized homes. Get the reliability and durability only Rinnai can offer, while saving energy and precious floor space.

Features and Benefits of the Value Series

- Two new models: V75i/e and V65i/e
- Available in three models for interior or exterior installation
- ENERGY STAR® qualified
- Energy Factor of .82 for both gas types
- Certified for installation in manufactured (mobile) homes
- Temperature range with controllers: 98°F - 140°F

Additional Features of the V75i/e and V65i/e

- Enhanced scale detection lessens possibility of serious, long-term damage to unit
- Leak detection shuts off water to unit to limit property damage
- Temperature lock prevents accidental or unauthorized changes to water temperature
- Satisfies SCAQMD with requirements of less than 14 ng/J for ultra-low NOx emissions

Rinnai Value Series...The Perfect Combination of Comfort and Value

- **As Much Hot Water as You Want for as Long as You Need.**
Enjoy continuous hot water delivered simultaneously to multiple plumbing and appliance demands.
- **Lower Your Energy Costs.** Heat water only when you need it, and eliminate the expense of continually reheating water in a holding tank.
- **Free Up Valuable Living Space.** Gain as much as 16 square feet of living space in your home when you replace your tank-style water heater with a tankless unit.
- **Perfect for New Homes or Remodeling.** Several models and accessories available to adapt to different installations. Consult your Rinnai installer for your project.
- **Enjoy Peace of Mind.** Rinnai Tankless Water Heaters have a typical life of up to 20 years, which is estimated to be twice the life of a standard tank style unit.*

* Based on DOE ENERGY STAR® lifecycle estimates, tankless water heaters can last up to twice as long as traditional tank units.



V75i

