



contemporary  
gas fireplaces

# why choose Regency?

## Fire Transformed to Art

My vision was to elevate the role of a fireplace beyond the heating function to a highly stylized art form for today's trend toward modern homes. I focused on clean lines crafted from unique materials in bold, vibrant colors, cool stainless and sleek black. These elegant frames wrap artfully around a fire that dances evocatively from a firebed blanketed in vibrant crystals or a seamless river of pebbles. Prepare to impress.

## Regency Quality ... Beauty that Heats

For over 30 years Regency has carefully researched trends to develop fireplaces that fit your needs. A perfect combination of function and beauty; each Regency is a high efficiency heater with a beautiful view. Cut your heating bills by turning your furnace way down in most of your rooms and enjoy high efficiency, controllable heat in the living areas you spend time in. And, all Regency products operate during power outages.

## Lifetime Warranty

I am so confident in the quality workmanship, the finest materials and durable heavy-duty construction invested in each and every Regency, that I offer a Limited Lifetime Warranty. We know that you will be as proud of your Regency Contemporary Collection Fireplace as we are – I guarantee it.



Robert Little  
Founder & CEO





## index

### Contemporary Gas Fireplace Collection

|                         |    |
|-------------------------|----|
| Regency Horizon HZ54E   | 4  |
| Regency Horizon HZ42E   | 6  |
| Regency Horizon HZ42STE | 8  |
| Regency Horizon HZ30E   | 10 |
| Regency Horizon HZ40E   | 11 |
| Regency Horizon HZ965E  | 12 |
| Regency Horizon HZ33CE  | 13 |

|                |    |
|----------------|----|
| Design Choices | 14 |
|----------------|----|

|                |    |
|----------------|----|
| Specifications | 16 |
|----------------|----|



# Regency Horizon® HZ54E

Large Contemporary Gas Fireplace



Regency Horizon HZ54E shown with black faceplate, black enamel reflective panels and black crystals.

## Wide View, Dramatic Flames

The Regency Horizon™ HZ54E offers a wide angle view of a unique and dramatic flame, perfect for contemporary homes and open concept living spaces. Inner reflective panels amplify the appearance of the stunning fire. Contemporary styling is paired with practical function, delivering consistent, controllable heat - even during power outages.







Regency Horizon HZ54E shown with stainless steel faceplate, black enamel reflective panels and black crystals.



Regency Horizon HZ54E shown with sunset bronze faceplate, black enamel reflective panels and ceramic log set.



| Specifications                 | NG     | LP     |
|--------------------------------|--------|--------|
| Input (BTU)                    | 41,500 | 37,000 |
| Turn down to (BTU)             | 29,000 | 30,000 |
| EnerGuide Rating (Canada only) | 56.03% | 68.31% |
| Efficiency (steady state)      | 70%    | 75%    |

| Dimensions       |           |
|------------------|-----------|
| Faceplate Width  | 56-11/16" |
| Faceplate Height | 25-1/8"   |
| View area        | 615 sq.in |

For detailed specifications please see pages 15-19.



#### Standard Features

- Natural gas or propane
- 39" burner covered with cobalt blue crystals
- Wall mounted on/off switch
- Electronic ignition with SureFire™ switch
- Direct vent
- Limited lifetime warranty

#### Optional Features

- Contemporary door frame & faceplate in black, brushed stainless steel or sunset bronze
- Black enamel inner reflective panels
- Natural river pebbles
- Ceramic spa stones, crystals in various colors or ceramic log set
- Proflame remote controls
- Wall thermostat
- AstroCap® venting or power vent system
- Variable speed blower
- HeatWave™ power duct kit & HeatRelease™ kit

# Regency Horizon® HZ42E

Medium Contemporary Gas Fireplace



Regency Horizon HZ42E shown with sunset bronze faceplate, black enamel inner panels, ceramic spa stones and natural river pebbles.

## Dramatic Flame with Perfect Heat

Feature a stunning firescape in rooms with limited space with the Regency Horizon™ HZ42E, a mid-sized contemporary gas fireplace offering a dramatic flame and ample heat. Rev up the atmosphere with cascading cobalt blue crystals, or create a tranquil escape using spa stones. Transform any room into an experience with the Regency Horizon™ HZ42E.





Regency Horizon HZ42E shown with stainless steel faceplate, black enamel inner reflective panels and blue crystals.



Regency Horizon HZ42E shown with black faceplate, black enamel inner reflective panels, ceramic spa stones and natural river pebbles.



| Specifications                 | NG     | LP     |
|--------------------------------|--------|--------|
| Input (BTU)                    | 26,000 | 24,500 |
| Turn down to (BTU)             | 17,500 | 19,500 |
| EnerGuide Rating (Canada only) | 64.89% | 65.70% |
| Efficiency (steady state)      | 69%    | 69%    |

| Dimensions       |            |
|------------------|------------|
| Faceplate Width  | 48-3/4"    |
| Faceplate Height | 23-5/8"    |
| View area        | 464 sq.in. |

For detailed specifications please see pages 15-19.

#### Standard Features

- Natural gas or propane
- 30" burner covered with cobalt blue crystals
- Wall mounted on/off switch
- Electronic ignition with SureFire™ switch
- Direct vent
- Limited lifetime warranty

#### Optional Features

- Contemporary faceplate in black, brushed stainless steel or sunset bronze
- Black enamel inner reflective panels
- Natural river pebbles
- Ceramic Spa Stones
- Crystals in various colors
- Accent light
- Proflame GT or GTM remote control
- Wall thermostat
- AstroCap® venting system





# Regency Horizon® HZ42STE

Contemporary See-Through Gas Fireplace



Regency Horizon HZ42STE shown with stainless steel faceplate.

## Two Rooms, One Fire

Create two fire views from separate rooms with the Regency Horizon™ HZ42STE see-through gas fireplace. This dual-sided fireplace offers a cost-effective way to divide a space while maintaining an open feel. Different wall finishes create an even more dramatic experience, delivering the ultimate two-fireplace look.







Regency Horizon HZ42STE shown with sunset bronze faceplate and reflective panels.



| Specifications                 | NG     | LP     |
|--------------------------------|--------|--------|
| Input (BTU)                    | 26,000 | 24,500 |
| Turn down to (BTU)             | 17,500 | 19,500 |
| EnerGuide Rating (Canada only) | 66.96% | 68.71% |
| Efficiency (steady state)      | 70%    | 72%    |

| Dimensions       |            |
|------------------|------------|
| Faceplate Width  | 48-3/4"    |
| Faceplate Height | 23-5/8"    |
| View area        | 928 sq.in. |

For detailed specifications please see pages 15-19.



#### Standard Features

- See through fireplace
- Natural gas or propane
- 30" burner covered with cobalt blue crystals
- Wall mounted on/off switch
- Electronic ignition with SureFire™ switch
- Direct vent
- Limited lifetime warranty

#### Optional Features

- Contemporary faceplate in black, brushed stainless steel or sunset bronze
- Black enamel inner reflective panels
- Natural river pebbles
- Ceramic spa stones
- Crystals in various colors
- Accent light
- Proflame GT or GTM remote control
- Wall thermostat
- AstroCap® Venting or Power Vent System

# Regency Horizon® HZ30E & HZ40E

Small & Medium Contemporary Gas Fireplaces



Regency Horizon HZ30E shown with black inner door frame and black enamel inner panels (clean edge install).

## Frameless Style

A smaller profile of the popular Regency Horizon model, the HZ30E and HZ40E feature the same sleek, wide view design set in a seamless frame. With minimal impact on floor space, both models offer modern style options that can be easily integrated into any room, providing efficient heat output for just the right amount of warmth.

Whether updating a small or medium sized apartment, master bedroom or ensuite bathroom, these linear fireplace models are designed to fit well into these spaces and transform their appearance.





Regency Horizon HZ40E shown with black inner door frame and copper crystals.



HZ30E shown with sunset bronze inner & outer frame and black enamel inner panels.



HZ30E shown with 4 piece stainless steel faceplate and black enamel inner panels.



| Specifications                 | HZ30E  | HZ40E  |
|--------------------------------|--------|--------|
| Input (BTU)                    | 14,000 | 26,000 |
| Turn down to (BTU)             | --     | 18,000 |
| EnerGuide Rating (Canada only) | 69.69% | 66.82% |
| Efficiency (steady state)      | 70%    | 70%    |

| Dimensions                 |                 |            |
|----------------------------|-----------------|------------|
| View area                  | 251 sq. in.     | 464 sq.in. |
| 4 pc. Faceplate            | Width 33-1/4"   | 48-3/4"    |
|                            | Height 19-1/2"  | 23-5/8"    |
| Clean finish (inner frame) | Width 27-5/8"   | 38-1/4"    |
|                            | Height 14-1/16" | 16-7/8"    |

\* For propane (LP) specs please see page 16.  
For detailed specifications please see pages 15-19.



#### Standard Features

- Natural gas or propane
- Regency Horizon burner covered with cobalt blue crystals
- Electronic ignition with SureFire™ switch
- Wall mounted on/off switch
- Direct vent
- Limited lifetime warranty

#### Optional Features

- Contemporary faceplate in black, brushed stainless steel or sunset bronze (in 2 styles)
- Available without faceplate for clean edge install
- Black enamel inner reflective panels
- Natural river pebbles
- Ceramic spa stones, crystals in various colors
- Proflame GT, GTM (HZ40E only), GTMF remote controls
- Wall thermostat
- Variable speed blower
- AstroCap® venting system
- HeatWave™ power duct kit and HeatRelease™ kit (HZ40E only)



# Regency Horizon® HZ965E & HZ33CE

Large & Medium Contemporary Gas Fireplaces



HZ965E shown with enamel reflective panels and black crystals (clean edge install).

## Combining Fire & Art

The conventional firebox has been redefined to include dramatic, contemporary elements taking the design from timeless and traditional to modern and sensational! The Regency Horizon™ HZ965E and HZ33CE gas fireplaces feature an inset design without louvers that allows finish materials to be installed right to the edges for a clean look. An alternative Regency surround package offers a stunning, cost effective solution to finishing.







HZ33CE with black enamel reflective panels and copper crystals (clean edge install).



HZ33CE shown with black enamel reflective panels and black glass crystals (clean edge install).



HZ33CE shown with Modera 33 surround in sunset bronze, black enamel reflective panels and black glass crystals.



HZ33CE shown with Verona 33 surround in stainless steel, black enamel reflective panels and volcanic stones.

| Specifications (NG)*           | HZ965E | HZ33CE |
|--------------------------------|--------|--------|
| Input (BTU)                    | 48,000 | 17,000 |
| Turn down to (BTU)             | 16,000 | 10,000 |
| EnerGuide Rating (Canada only) | 63.11% | 65.71% |
| Efficiency (steady state)      | 79%    | 69%    |

| Dimensions   |        | HZ965E     | HZ33CE     |
|--------------|--------|------------|------------|
| Clean finish | Width  | 36-13/16"  | 29-7/16"   |
|              | Height | 33-1/4"    | 21-3/8"    |
| View area    |        | 965 sq.in. | 416 sq.in. |

\* For propane (LP) specs please see page 16.  
For detailed specifications please see pages 15-19.



#### Standard Features

- Natural gas
- Clean face front with ceramic glass
- Linear firebed covered with glass crystals
- Split flow burner to allow for variable heat control (HZ965E only)
- Electronic ignition with SureFire™ switch
- Proflame GTMFS remote control (HZ965E only)
- Wall mounted on/off switch
- Direct vent
- 45° flue for versatile installations
- Limited lifetime warranty

#### Optional Features

- Surrounds (Modera & Verona - HZ33CE only)
- Black enamel inner reflective panels (standard for HZ965E)
- Crystals in various colors
- Volcanic stones or ceramic spa stones
- Black full screen door (HZ965E only)
- Removable mesh glass guard
- Wall thermostat
- Propane conversion kit
- Vertical or horizontal vent terminations
- Heat Wave distribution kit (HZ965E only)
- Power vent Kit (HZ965E only)
- AstroCap® venting system

# design choices - contemporary collection

## Surround finishes



Black



Brushed stainless steel



Sunset bronze

## Inner panels



Black enamel


## Firebed options




Cobalt blue crystals



Copper crystals



Starfire crystals



Black reflective crystals



Volcanic stones - Gray



Volcanic stones - Tan



Ceramic spa stones



Ceramic log set

## Accent pebbles



Natural river pebbles

| Accessories                        |                           | HZ54E | HZ42E | HZ42STE | HZ40E | HZ30E          | HZ965E | HZ33CE |
|------------------------------------|---------------------------|-------|-------|---------|-------|----------------|--------|--------|
| Regency Horizon firebed            | Cobalt blue crystals      | ✓     | ✓     | ✓       | ✓     | ✓              | ★      | ★      |
|                                    | Crystals - various colors | ★     | ★     | ★       | ★     | ★              | ★      | ★      |
|                                    | Ceramic spa stones        | ★     | ★     | ★       | ★     | ★              | ★      | ★      |
|                                    | Volcanic stones           | -     | -     | -       | -     | -              | ★      | ★      |
| Accent pebbles (for firebox floor) | Natural river pebbles     | ★     | ★     | ★       | ★     | ★              | ★      | ★      |
| Ceramic Logs                       |                           | ★     | -     | -       | -     | -              | -      | -      |
| Faceplates & Verona Surrounds      | Black                     | ★     | ★     | ★       | ★     | ★              | -      | ★      |
|                                    | Brushed stainless steel   | ★     | ★     | ★       | ★     | ★              | -      | ★      |
|                                    | Sunset bronze             | ★     | ★     | ★       | ★     | ★              | -      | ★      |
| Modera Surrounds                   | Black                     | -     | -     | -       | -     | -              | -      | ★      |
|                                    | Sunset bronze             | -     | -     | -       | -     | -              | -      | ★      |
| Full screen doors                  |                           | -     | -     | -       | -     | -              | ★      | -      |
| Inner panels                       | Black enamel              | ★     | ★     | ★       | ★     | ★              | ✓      | ★      |
|                                    | Black panels (painted)    | ✓     | ✓     | ✓       | ✓     | ✓              | -      | ✓      |
| Removable mesh glass guard         |                           | -     | -     | -       | ★     | -              | ★      | ★      |
| Accent light                       |                           | -     | ★     | ★       | -     | -              | -      | -      |
| Remote controls                    | Proflame GT               | ★     | ★     | ★       | ★     | ★              | -      | ★      |
|                                    | Proflame GTM              | ★     | ★     | ★       | ★     | -              | -      | ★      |
|                                    | Proflame GTMF             | ★     | -     | -       | ★     | ★ <sup>1</sup> | -      | ★      |
|                                    | Proflame GTMFS            | -     | -     | -       | -     | -              | ✓      | -      |
| Wall mounted On/Off switch         |                           | ✓     | ✓     | ✓       | ✓     | ✓              | ✓      | ✓      |
| Variable speed blower              |                           | ★     | -     | -       | ★     | ★              | -      | ★      |
| Direct Vent                        |                           | ✓     | ✓     | ✓       | ✓     | ✓              | ✓      | ✓      |
| AstroCap® Venting System           |                           | ★     | ★     | ★       | ★     | ★              | ★      | ★      |
| Power Vent System                  |                           | ★     | -     | ★       | -     | -              | ★      | -      |
| HeatWave power duct kit            |                           | ★     | -     | -       | ★     | -              | ★      | -      |
| HeatRelease kit                    |                           | ★     | -     | -       | ★     | -              | ★      | -      |
| LP conversion kit                  |                           | -     | -     | -       | -     | -              | ★      | ★      |

- Not available
- ✓ Standard
- ★ Optional

1 - fan control only, no flame height adjustment



Verona 33 surround



Modera 33 surround

## Regency Remote and Thermostat Comfort Control

Create optimal comfort with ease and convenience at the touch of a button with a Regency Comfort Control System. Our user friendly programmable controls can be set, adjusted and programmed for your fireplace to come on at the temperature you want when you want it. Regency control systems are available with a variety of features to suit your household home heating needs.



Proflame Remote Control



Thermostat

| Feature                   | Description                       | Proflame Remotes |     |      |       | Programmable Thermostat |
|---------------------------|-----------------------------------|------------------|-----|------|-------|-------------------------|
|                           |                                   | GT               | GTM | GTMF | GTMFS |                         |
| On/Off                    |                                   | ✓                | ✓   | ✓    | ✓     | ✓                       |
| Child lock                |                                   | ✓                | ✓   | ✓    | ✓     | -                       |
| LCD Backlit Screen        |                                   | ✓                | ✓   | ✓    | ✓     | ✓                       |
| Clock                     |                                   | -                | -   | -    | ✓     | ✓                       |
| Temperature display       | °F / °C                           | ✓                | ✓   | ✓    | ✓     | ✓                       |
| Thermostat                | one setting (all days)            | ✓                | ✓   | ✓    | ✓     | ✓                       |
|                           | 5-day day weekday & 2-day weekend | -                | -   | -    | -     | ✓                       |
| Smart thermostat*         |                                   | -                | ✓   | ✓    | ✓     | -                       |
| Flame adjustment          | (6 levels)                        | -                | ✓   | ✓    | ✓     | -                       |
| Split flow burner control | (back burner on/off)              | -                | -   | -    | ✓     | -                       |
| Fan control**             | (6 levels)                        | -                | -   | ✓    | -     | -                       |
| Accent light (On/Off)***  |                                   | -                | -   | ✓    | -     | -                       |

\* Smart Thermostat - Rather than a thermostat that simply turns your fireplace on and off, the Smart Control function allows you to set your desired room temperature and as the room reaches your personal setting, the flame intensity and heat will gradually decrease – keeping the ambiance of your Regency fire on with less heat output and the option to turn off at any time.

\*\* For models that have a blower.

\*\*\* For models that have an optional accent light.

## Maximizing Comfort and Efficiency

Regency Fireplaces deliver controllable heat solutions combining the latest in radiant/convection heat technology and innovative features.


- ☑ Adjustable flame/heat control
- ☑ Heat radiating ceramic glass for maximum radiant heat performance
- ☑ **SureFire Electronic Ignition** switch with battery backup features fuel saving intermittent pilot ignition, conserving energy when not in use.
- ☑ **Power's Out, Heat's On.** Never worry about being cold in a power outage again! All Regency gas fireplaces operate without electricity. Enjoy peace of mind all winter long.

## Direct Vent Technology

You can enjoy the convenience of a gas fireplace anywhere in your home with a Regency Direct Vent Fireplace. Regency Direct Vent Fireplaces maintains indoor air quality by drawing fresh combustion air from outside through our specialized venting system into a sealed firebox and sending the used air back outdoors.

### Design Versatility

Direct Vent technology allows you to add a fireplace to rooms even if there is no existing chimney. Simply vent your fireplace through an outside wall and finish it with the Regency Patented **AstroCap® Flex Venting System**.




AstroCap (painted to match home)

# specifications

| Specifications                 | HZ54E  |        | HZ42E  |        | HZ42STE |        | HZ40E  |        | HZ30E  |        | HZ965E |        | HZ33CE |        |
|--------------------------------|--------|--------|--------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|                                | NG     | LP     | NG     | LP     | NG      | LP     | NG     | LP     | NG     | LP     | NG     | LP     | NG     | LP     |
| Input (BTU)                    | 41,500 | 37,000 | 26,000 | 24,500 | 26,000  | 24,500 | 26,000 | 25,500 | 14,000 | 13,000 | 48,000 | 48,000 | 17,000 | 15,500 |
| Turn down to (BTU)             | 29,000 | 30,000 | 17,500 | 19,500 | 17,500  | 19,500 | 18,000 | 21,000 | --     | --     | 16,000 | 17,000 | 10,000 | 12,000 |
| EnerGuide Rating (Canada only) | 56.03% | 68.31% | 64.89% | 65.70% | 66.96%  | 68.71% | 66.82% | 67.80% | 69.69% | 69.72% | 63.11% | 63.46% | 65.70% | 67.41% |
| Efficiency (steady state)      | 70%    | 75%    | 69%    | 69%    | 70%     | 72%    | 70%    | 71%    | 70%    | 70%    | 79%    | 79%    | 69%    | 69%    |


## Regency Horizon™ HZ54E / HZ42E / HZ40E / HZ30E

HZ54E




| Dimensions | HZ54E    | HZ42E     | HZ40E     | HZ30E     |
|------------|----------|-----------|-----------|-----------|
| Flue size  | 5" x 8"  | 4"x6-5/8" | 4"x6-5/8" | 4"x6-5/8" |
| A          | 59"      | 47"       | 49-5/16"  | 30-9/16"  |
| B          | 52-5/8"  | 41-3/16"  | 45-5/8"   | 28-11/16" |
| C          | 31-5/8"  | 30"       | 33-3/16"  | 27-1/16"  |
| D          | 46-3/8"  | 36-7/8"   | 42"       | 33-5/16"  |
| E          | 48-1/2"  | 38"       | 38"       | 27-5/8"   |
| F          | 35-1/4"  | 28-7/8"   | 31"       | 25-11/16" |
| G          | 20-1/2"  | 18-5/8"   | 18-5/16"  | 14-1/2"   |
| H          | 22-3/8"  | 21-1/4"   | 16-7/8"   | 14-9/16"  |
| I          | 5-11/16" | 4-7/16"   | 10"       | 6-3/8"    |
| J          | 1-1/2"   | 1-1/2"    | 1-7/16"   | 1-1/2"    |

HZ30E/HZ40E/HZ42E




HZ30E/HZ40E/HZ42E




## Faceplates

Inner & Outer Frame  
(HZ54E / HZ40E / HZ30E)





4 piece Faceplate  
(HZ42E / HZ40E / HZ30E)



| Faceplates          |   | HZ54E     | HZ42E/<br>HZ42STE | HZ40E    | HZ30E    |
|---------------------|---|-----------|-------------------|----------|----------|
| Inner & Outer Frame | A | 56-11/16" | --                | 43-1/16" | 32-3/8"  |
|                     | B | 25-1/8"   | --                | 20-9/16" | 18-1/16" |
|                     | C | 45-3/16"  | --                | 35-1/2"  | 24-7/8"  |
|                     | D | 13-5/8"   | --                | 12-1/2"  | 10-1/8"  |
|                     | E | 49-3/16"  | --                | 38-1/4"  | 28-3/16" |
|                     | F | 17-5/8"   | --                | 15-1/4"  | 14-1/16" |
| 4 piece Faceplate   | A | --        | 48-3/4"           | 48-3/4"  | 33-1/4"  |
|                     | B | --        | 23-5/8"           | 23-5/8"  | 19-1/2"  |
|                     | C | --        | 36"               | 36"      | 25"      |
|                     | D | --        | 12-7/8"           | 12-7/8"  | 10-1/2"  |




## Framing




| Framing           | HZ54E    | HZ42E    | HZ40E    | HZ30E     |
|-------------------|----------|----------|----------|-----------|
| J                 | 60"      | 47-1/2"  | 49-7/8"  | 31-3/16"  |
| K                 | 46-5/8"  | 37-1/4"  | 42"      | 33-5/16"  |
| L horizontal vent | 22"      | 18-3/4"  | 19-7/16" | 14-1/4"   |
| vertical vent     | 22"      | 22"      | 23-7/16" | 19-1/2"   |
| M flex            | 51"      | 39-9/16" | 43-7/8"  | 32-7/8"   |
| rigid             | 51"      | 39-9/16" | 43-7/8"  | 35-1/2"   |
| N                 | 72"      | 51-1/2"  | 57-3/8"  | 40-7/8"   |
| O                 | 101-7/8" | 72-7/8"  | 81-1/8"  | 57-13/16" |


### HZ54E




### HZ42E




### HZ40E



### HZ30E



## Clearances



| Clearances | HZ54E   | HZ42E   | HZ40E | HZ30E   |
|------------|---------|---------|-------|---------|
| A*         | 20"     | 13"     | 17"   | 13-1/4" |
| B          | 4"      | 8"      | 8"    | 8"      |
| C          | 40-7/8" | 22"     | 22"   | 39"     |
| D**        | 13"     | 13"     | 13"   | 12"     |
| E          | 83"     | 84"     | 84"   | 60"     |
| F          | 36"     | 36"     | 36"   | 36"     |
| G          | 28-7/8" | 25-3/4" | 27"   | 21"     |

\* Minimum at 1" deep

\*\* HZ30E - Minimum at 21-1/4" above


HZ42E - Minimum at 21-1/2" above

HZ54E - Minimum at 30" above





NOTE: All products can be installed in a raised application. Before installing refer to the relevant product manual for full and up to date information. Manuals can be downloaded from our web site [www.regency-fire.com](http://www.regency-fire.com)

# specifications

HZ965E





HZ33CE




| Framing | HZ965E           | HZ33CE    |
|---------|------------------|-----------|
| I       | 4"               | 0"*       |
| J       | 44-3/4"          | 35"       |
| K       | 52-5/16"         | 31-3/4"   |
| L       | vertical rise    | 24"       |
|         | horizontal rigid | 24"       |
|         | horizontal flex  | 16"       |
| M       | rigid            | 80"       |
|         | flex             | 80"       |
| N       | 45-7/16"         | 38-15/16" |
| O       | 90-15/16"        | 55-1/2"   |

\* when not using surround (might differ when using surrounds)




| Clearances | HZ965E  | HZ33CE  |
|------------|---------|---------|
| A          | 4"      | 0"      |
| B          | 6-1/16" | 9"      |
| C          | N/A     | 30"     |
| D          | N/A     | 84"     |
| E          | N/A     | 36"     |
| F          | 18-1/2" | 15-3/4" |
| G          | 10"     | 12"     |


Notes:  
\* For complete instructions please see manual.



Non-Combustible material is required with this unit. Please see manual.




# Regency Horizon™ HZ42STE



| Dimensions | HZ42STE   |
|------------|-----------|
| Flue size  | 4"x6-5/8" |
| A          | 48-11/16" |
| B          | 41-3/16"  |
| C          | 28-5/8"   |
| D          | 36-1/2"   |
| E          | 38"       |
| F          | 30-13/16" |
| G          | 15"       |
| H          | 15"       |
| I          | 7-3/4"    |
| J          | 1-1/2"    |



## Framing



| Framing           | HZ42STE                                               |
|-------------------|-------------------------------------------------------|
| A                 | 15" minus two times the finishing material thickness* |
| B                 | 36-3/4"                                               |
| C horizontal vent | 50"                                                   |
| vertical vent     | 50"                                                   |

\* Finish material thickness includes: ceramic tile, slate, etc.

## Clearances



| Clearances | HZ42 STE |
|------------|----------|
| A*         | 13"      |
| B          | 8"       |
| C          | 22"      |
| D**        | 13"      |
| E          | 84"      |
| F          | 36"      |
| G          | 25-3/4"  |

\* Minimum at 1" deep

\*\* Minimum at 21-1/2" above

NOTE: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up to date information. Manuals can be downloaded from our web site [www.regency-fire.com](http://www.regency-fire.com)

# Fireplace planning made simple

Your Regency® matches your home and lifestyle perfectly. How do we know that? Because you designed it yourself!

[www.regency-fire.com](http://www.regency-fire.com)

1



### CLICK!

Take a photo of your desired room location.

2



### DESIGN

Go to [www.regency-fire.com](http://www.regency-fire.com) and design your perfect fireplace with the Fireplace Design Center.

3



### VISUALIZE

Upload your room photo and see how the fireplace will look in your own house. Print your own brochure.

4



### VISIT A REGENCY STORE

Show your plan to one of our sales associates for expert advice. Your authorized Regency dealer will advise you on all the technical aspects and install your Regency.

5



### NO CHIMNEY? NO PROBLEM!

Direct vent technology means you no longer need an expensive, elaborate chimney. Simply vent your fireplace through an outside wall and finish it with an AstroCap™.

6



### ENJOY!



© 2012 FPI Fireplace Products International Ltd. Regency, Regency Horizon, SureFire, Heat Wave, Heat Release, AstroCap, are registered or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved. Printed in Canada (07/12) Part no. 944-286

NC BASED & FAMILY OWNED SINCE 1930



|                |              |
|----------------|--------------|
| Advance        | 336.998.9748 |
| Boone          | 828.262.3637 |
| Elkin          | 336.835.3607 |
| Millers Creek  | 336.973.2411 |
| Mills River    | 828.891.7371 |
| Pilot Mountain | 336.368.3678 |
| Sparta         | 336.372.4443 |
| Statesville    | 704.873.4747 |
| Weaverville    | 828.645.1007 |

fireplaces . heaters . grills . outdoor living  
tankless hot water . boilers . awnings

[www.gbenergy.com](http://www.gbenergy.com)