

Create the perfect room around a fireplace...

Give small spaces big appeal with a *Two Harbors* fireplace from Kozy Heat. With the *Two Harbors*, design possibilities are limitless. Pair with cabinets, add shelves or wine racks for a unique look that satisfies your taste!



- Aspen Corner Cabinet & Base (w/standard shelves)
- Arched Prairie Door Face
- Golden Oak Stain



- **Aspen** Corner Cabinet & Base
- Base Doors
- Plated Face Brushed Nickel w/Black
- Face Door Kit Black
- Golden Oak Stain



- **Aspen** Cabinet & Base Wine Rack Insert

- Base Doors
 Vineyard Pattern Door Face
 Sedona Red Stain





- Meridian Corner Cabinet & Base (w/standard shelves)
- 3 1/2" Corner Hearth
- Arched Prairie Door Face
- Special Walnut Stain

- **Meridian** Cabinet & Base
- Wine Rack Insert
- Plated Face Copper w/Black
- Face Door Kit Black
- Ebony Distressed Stain



THE STATE OF THE S

- **Meridian** Corner Cabinet
- 3 1/2" Corner Hearth
- Renaissance Pattern Door Face
- Special Walnut Stain



- Venice Cabinet & Base
- Base Doors
- Plated Face w/Doors Onyx w/Brushed Nickel




- Venice Corner Cabinet & Base
- Vineyard Pattern Door Face
- Base Doors Metal (Vineyard) Magnetic Grape Appliqués
- Dark Walnut Stain12" Corner Hearth
- Wine Rack Insert
- Venice Cabinet & Base
- Pine Cabinet
- (Available in Venice Style only)
 Renaissance Pattern Door Face





Handcrafted Cabinetry Dimensions

Available styles: Aspen, Meridian and Venice



Hearth Width: 42 1/2" (Aspen/Meridian) • 44 1/8" (Venice)
Corner Hearth's Wall Depth = 28 7/8" (Aspen/Meridian) • 29 3/4" (Venice) Also available in a 1" hearth

	Aspen/Meridian Wall Cabinets	Aspen/Meridian Corner Cabinets	Venice Wall Cabinets	Venice Corner Cabinets	Aspen/Meridian Wall Bases	Aspen/Meridian Corner Bases	Venice Wall Bases	Venice Corner Bases
Α	42 1/2"	40 7/8"	44 1/8"	41 3/4"	42 1/2"	40 7/8"	44 1/8"	41 3/4"
В	18 5/8"	28 7/8"	19 1/2"	29 1/2"	18 5/8"	28 7/8"	19 1/2"	29 1/2"
С	36 5/8"	36 5/8"	36 5/8"	36 5/8"	36 5/8"	36 5/8"	36 5/8"	36 5/8"
D	47 3/4"	47 3/4"	47 3/4"	47 3/4"	36 3/4"	36 3/4"	36 3/4"	36 3/4"
E	15 5/8"	9 1/8"	15 5/8"	9 1/8"	15 5/8"	9 1/8"	15 5/8"	9 1/8"

Oak Stain Samples







Ebony Distressed


Maple Stain Samples







Two Harbors Options & Accessories



Model	Fuel Option	High	Low	Max Efficiency	
Two Harbors	NG	14,600	10,700	75%	
	LP	14.700	10.700	72%	

Features:

- · Canada P-4 approved
- High quality lifetime warranty glass (21" H x 14" W)
- Quick-latch glass
- Accepts rigid pipe
- · High-low regulator
- · Patented log design
- Brick refractory
- MN Energy Code compliant to 50 pascals

Optional Features:

- Door designs (available in black, rust or titanium finish)
- Plated faces
- Red refractory
- Fan kit with variable speed (1-75 CFM)
- Modular cabinet system
- Remote control or thermostat remote control
- Wall mount thermostat / wireless wall mount thermostat

Safety

- Each unit factory tested!
- Tested by OMNI-Test Laboratories Complies with ANSI Z21.88a-2007 • CSA 2.33a-2007 'Vented gas fireplace heaters'
- Sealed combustion chamber with standing pilot ignition
- Removable millivolt board with 30-second delay pilot
- Requires NO ELECTRICITY to operate excluding fan
- Automatic pressure relief glass system
- Bedroom and mobile home approved



Specifications Height to top of standoff 32 1/2" (w/o face) Front width (including 19 1/2' standoffs/without face) Depth 14 3/8" Back width 5 1/4" 21" Full door face width Full door face height 33 5/16" Weight 76 lbs.

Clearances From unit face top 1" Unit bottom to flooring 0" Unit side standoffs to adjacent side wall From unit left & right sides 1/2" & back Unit base to ceiling 52" Minimum enclosure height 47"

Mantel from top of upper grill opening to 12" mantel - 8"

Refer to the mantel projection chart in the installation manual

Framing Dimensions 32 5/8" Height Width 19 3/4" Depth 14 7/8" Platform 19 3/4" W x 14 7/8" D

Door Faces



Arched Prairie



Renaissance Pattern

Plated face - Copper w/black



Vineyard Pattern



Plated face - Onyx w/Brushed Nickel doors

Refractories



Brick refractory



Red brick refractory

Controls Standard wall mount or Wireless wall mount thermostat



Wireless wall switch



Remote control

Kozy Heat Product Line

14-3/8

9-5/8



Woodburning Fireplaces Classic DV Gas Fireplaces



2-1/4"



Plated face - Brushed Nickel

w/black doors

Traditional DV Gas Fireplaces



Contemporary Gas Fireplaces



Gas Inserts



Free-standing Gas Stove



Two Harbors



Handcrafted Cabinetry

336.998.9748

828.262.3637

In order to continually provide the highest quality product available, features/options, specifications & dimensions are subject to change. Refer to the unit installation manual for complete installation instructions. Installation must conform with local building codes. In some regions it may be possible that this appliance qualifies for an energy rebate. See your local dealer for details regarding promotions and qualifications.

Manufactured by Hussong Mfg. Co. Inc. 204 Industrial Park Drive, Lakefield, MN 56150







NC BASED & FAMILY OWNED SINCE 1930

Millers Creek Mills River Sparta Statesville

336.835.3607 336.973.2411 828.891.7371 336.368.3678 336.372.4443 704.873.4747